



This repository Search

Pull requests Issues Gist



openresty / stream-echo-nginx-module

Watch 13
Star 46
Fork 10

- Code
- Issues 2
- Pull requests 1
- Projects 0
- Wiki
- Pulse
- Graphs

TCP/stream echo module for NGINX (a port of ngx_http_echo_module)

63 commits
1 branch
0 releases
2 contributors

Branch: master New pull request
Create new file
Upload files
Find file
Clone or download

agentzh	doc: updated copyright notice.	Latest commit b7b76b8 on Dec 18, 2016
src	bugfix: fixed compilation errors with nginx 1.11.2+ due to recent cha...	7 months ago
t	improved a test case for slow machines.	a year ago
util	bugfix: fixed compilation errors with nginx 1.11.2+ due to recent cha...	7 months ago
.gitattributes	added a .gitattributes file to correct GitHub's language tag.	a year ago
.gitignore	feature: added new directives echo_read_bytes, echo_read_buffer_size,...	a year ago
.travis.yml	feature: added travis-ci support.	8 months ago
README.md	doc: updated copyright notice.	2 months ago
config	initial check in.	a year ago
valgrind.suppress	updated valgrind.suppress for nginx 1.11.2+ on linux i386.	6 months ago

 **README.md**

NAME

ngx_stream_echo - TCP/stream echo module for NGINX (a port of the ngx_http_echo module)

Table of Contents

- [NAME](#)
- [Version](#)
- [Synopsis](#)
 - [Example 1](#)
 - [Example 2](#)
 - [Example 3](#)
 - [Example 4](#)
- [Description](#)
- [Directives](#)
 - [echo](#)
 - [echo_duplicate](#)
 - [echo_flush_wait](#)
 - [echo_sleep](#)
 - [echo_send_timeout](#)
 - [echo_read_bytes](#)

- [echo_read_line](#)
- [echo_request_data](#)
- [echo_discard_request](#)
- [echo_read_buffer_size](#)
- [echo_read_timeout](#)
- [echo_client_error_log_level](#)
- [echo_lingering_close](#)
- [echo_lingering_time](#)
- [echo_lingering_timeout](#)
- [Caveats](#)
- [TODO](#)
- [Installation](#)
- [Compatibility](#)
- [Community](#)
 - [English Mailing List](#)
 - [Chinese Mailing List](#)
- [Report Bugs](#)
- [Source Repository](#)
- [Author](#)
- [Copyright & License](#)
- [See Also](#)

Version

This module is still under early development.

Synopsis

Example 1

```
# nginx.conf

stream {
    server {
        listen 1234;

        echo_send_timeout 10s;    # default to 60s

        echo "Hello, world!";
        echo I really like doing downstream TCP;
    }
}
```

on the terminal

```
$ telnet 127.0.0.1 1234
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
Hello, world!
I really like doing downstream TCP
Connection closed by foreign host.
```

[Back to TOC](#)

Example 2

```
stream {
    server {
        listen 1234;

        echo "before sleep...";
        echo_flush_wait;    # ensure that any pending output is flushed

        echo_sleep 3.1;    # sleep for 3.1 sec

        echo "after sleep...";
        echo_duplicate 3 " hello"; # repeat " hello" for 3 times
        echo;    # just to output a new line
    }
}
```

```
$ time telnet 127.0.0.1 1234
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
before sleep...
after sleep...
hello hello hello
Connection closed by foreign host.

real    0m3.106s
user    0m0.000s
sys     0m0.002s
```

[Back to TOC](#)

Example 3

```
stream {
    server {
        listen 1234;

        echo_read_buffer_size 2k;
        echo_read_timeout 60s;

        echo_read_bytes 2;
        echo -n 'Got prompt: ';
        echo_request_data;
        echo;

        echo_read_line;
        echo -n "Got command: ";
        echo_request_data;
    }
}
```

we **type** the line "`>>print("hello, world")`" **in** the telnet session below.

```
$ telnet 127.0.0.1 1234
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
>>print("hello, world!")
Got prompt: >>
Got command: print("hello, world!")
Connection closed by foreign host.
```

[Back to TOC](#)

Example 4

```
stream {
    server {
        listen 1999;

        # emulate a blackhole that swallows any incoming TCP
        # messages greedily like a logging service.
        # this can be used to mock up a logging service like
        # syslog-ng (TCP), which is much more efficient than
        # a typical netcat (nc) server.

        echo_discard_request;
        echo_sleep 3600;    # in sec
    }
}
```

[Back to TOC](#)

Description

This module is a port of the handy [ngx_http_echo](#) module over the shiny new "stream" subsystem of NGINX. With this module, you can do simple custom output from constant strings directly from memory in your generic TCP (or stream-typed unix domain socket) server.

This module is particularly handy for mocking silly TCP endpoints during unit testing (like mocking a buggy and evil memcached server).

Also, this module can serve as a useful simple demo for writing NGINX stream-typed 3rd-party modules. Well, it is just a little bit more complex than a "hello world" module anyway.

[Back to TOC](#)

Directives

echo

syntax: *echo [options] <string>...*

default: *no*

context: *server*

phase: *content*

Sends string arguments joined by spaces, along with a trailing newline, out to the client.

For example,

```
stream {
    server {
        listen 1234;

        echo "Hello, world!";
        echo foo bar baz;
    }
}
```


Then connecting to the server port 1234 will immediately receive the response data

```
Hello, world!  
foo bar baz
```

and then the server closes the connection right away.

When no argument is specified, *echo* emits the trailing newline alone, just like the *echo* command in shell.

one can suppress the trailing newline character in the output by using the `-n` option, as in

```
echo -n "hello, ";  
echo "world";
```

Connecting to the server will receive the response data

```
hello, world
```

where the first `echo` command generates no trailing new-line due to the use of the `-n` option.

To output string values prefixed with a dash (`-`), you can specify the special `--` option to disambiguate such arguments from options. For instance,

```
echo -n -- -32+5;
```

The response is

-32+5

This command sends the data *asynchronously* to the main execution flow, that is, this command will return immediately without waiting for the output to be actually flushed into the system socket send buffers.

For slow connections the sending timeout protection is subject to the configuration of the [echo_send_timeout](#) configuration directive.

This command can be mixed with other `echo_*` commands (like [echo_duplicate](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_duplicate

syntax: `echo_duplicate <count> <string>`

default: `no`

context: `server`

phase: `content`

Outputs duplication of a string indicated by the second argument, using the count specified in the first argument.

For instance,

```
echo_duplicate 3 "abc";
```

will lead to the output of "abcabcabc" .

Underscores are allowed in the count number, just like in Perl. For example, to emit 1000,000,000 instances of "hello, world" :

```
echo_duplicate 1000_000_000 "hello, world";
```

The `count` argument could be zero, but not negative. The second `string` argument could be an empty string ("") likewise.

Unlike the `echo` directive, no trailing newline is appended to the result.

Like the `echo` command, this command sends the data *asynchronously* to the main execution flow, that is, this command will return immediately without waiting for the output to be actually flushed into the system socket send buffers.

For slow connections the sending timeout protection is subject to the configuration of the `echo_send_timeout` configuration directive.

This command can be mixed with other `echo*` commands (like `echo` and `echo_sleep`) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_flush_wait

syntax: `echo_flush_wait;`

default: `no`

context: `server`

phase: `content`

Synchronously waits for all the pending output to be flushed out into the system socket send buffers. When the

downstream connection is fast enough and there is no pending data, then this directive completes immediately without waiting.

The wait is a nonblocking operation. That is, it never blocks the NGINX event loop or any operating system threads.

The maximum waiting time is subject to the [echo_send_timeout](#) setting.

This command can be mixed with other `echo*` commands (like [echo](#) and [echo_sleep](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_sleep

syntax: `echo_sleep <seconds>`

default: `no`

context: `server`

phase: `content`

Sleeps for the time period specified by the argument, which is in seconds.

This operation is nonblocking, that is, it never blocks the NGINX event loop or any operating system threads.

The period might takes three digits after the decimal point and must be greater than 0.001 (i.e., 1ms).

An example is

```
echo_sleep 1.234;    # sleep for 1.234 sec
```

```
echo "resumed!";
```

Behind the scene, it sets up a per-request "sleep" event object, and adds a timer using that custom event to the Nginx event model and just waits for a period of time on that event.

This command can be mixed with other `echo*` commands (like [echo](#) and [echo_duplicate](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_send_timeout

syntax: `echo_send_timeout <time>`

default: `echo_send_timeout 60s`

context: `stream, server`

Sets the sending timeout for the downstream socket, in seconds by default.

It is wise to always explicitly specify the time unit to avoid confusion. Time units supported are "s"(seconds), "ms"(milliseconds), "y"(years), "M"(months), "w"(weeks), "d"(days), "h"(hours), and "m"(minutes).

This time must be less than 597 hours.

If this directive is not specified, this module will use `60s` as the default.

[Back to TOC](#)

echo_read_bytes

syntax: `echo_read_bytes <size>`

default: `no`

context: `server`

Reads the request data of the specified size and append it into the "reading buffer". The size of the buffer is controlled by the [echo_read_buffer_size](#) directive. The length of data dictated in this command cannot exceed the [echo_read_buffer_size](#) setting.

For example,

```
echo_read_bytes 5;
```

reads 5 bytes of request data from the downstream connection.

On the other hand,

```
echo_read_bytes 4k;
```

reads 4KB of data.

This command would not return (until timeout) until exactly the amount of data has been read as specified.

The timeout threshold is subject to the [echo_read_timeout](#) directive.

The data read (in the "reading buffer") can later be output by the [echo_request_data](#) directive.

This command can be mixed with other `echo*` commands (like [echo](#) and [echo_duplicate](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_read_line

syntax: *echo_read_line;*

default: *no*

context: *server*

Reads the request data of the specified size and append it into the "reading buffer". The size of the buffer is controlled by the [echo_read_buffer_size](#) directive. The length of data read by this command cannot exceed the [echo_read_buffer_size](#) setting.

The timeout threshold is subject to the [echo_read_timeout](#) directive.

The data read (in the "reading buffer") can later be output by the [echo_request_data](#) directive.

This command can be mixed with other `echo*` commands (like [echo](#) and [echo_duplicate](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_request_data

syntax: *echo_request_data <size>*

default: *no*

context: *server*

Sends all the data accumulated in the "reading buffer" to the downstream connection and clears all the data in the "reading buffer".

Unlike [echo](#) or [echo_duplicate](#), this command does not return until all the data is actually flushed into the system socket send buffer. Or in other words, this command is a synchronous operation (but still doing nonblocking I/O, of course).

This command can be mixed with other `echo*` commands (like [echo](#) and [echo_duplicate](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_discard_request

syntax: *echo_discard_request*

default: *no*

context: *server*

Discards any request data already pre-read in the "reading buffer" or any future incoming request data.

This command is an asynchronous operation which returns immediately without waiting for all the incoming request.

Once this command is executed, any subsequent request reading commands like [echo_read_line](#) are disallowed.

This command can be mixed with other `echo*` commands (like [echo](#) and [echo_duplicate](#)) freely in the same server. The module handler will run them sequentially in the same order of their appearance in the NGINX configuration file.

[Back to TOC](#)

echo_read_buffer_size

syntax: *echo_read_buffer_size <size>*

default: *echo_read_buffer_size 1k*

context: *stream, server*

Controls the size of the "reading buffer" used to receive downstream data via commands like [echo_read_bytes](#).

[Back to TOC](#)

echo_read_timeout

syntax: *echo_read_timeout <time>*

default: *echo_read_timeout 60s*

context: *stream, server*

Sets the reading timeout for the downstream socket, in seconds by default. Affecting reading directives like [echo_read_bytes](#).

It is wise to always explicitly specify the time unit to avoid confusion. Time units supported are "s"(seconds), "ms"(milliseconds), "y"(years), "M"(months), "w"(weeks), "d"(days), "h"(hours), and "m"(minutes).

This time must be less than 597 hours.

If this directive is not specified, this module will use `60s` as the default.

[Back to TOC](#)

echo_client_error_log_level

syntax: *echo_client_error_log_level* *info* | *notice* | *warn* | *error*

default: *echo_client_error_log_level* *info*

context: *stream, server*

Specifies the error log level for client side errors (like the error that the client closes the connection prematurely). Default to *info* to avoid real-world clients from flooding the server error log files (which can be quite expensive).

[Back to TOC](#)

echo_lingering_close

syntax: *echo_lingering_close* *off* | *on* | *always*

default: *echo_lingering_close* *on*

context: *stream, server*

Controls how nginx closes client connections.

The default value *on* instructs nginx to wait for and process (read and discard) additional data from a client before fully closing a connection, but only if heuristics suggests that a client may be sending more data (like there is unprocessed pre-read data in the "reading buffer" or the socket is still ready for reading).

The value *always* will cause nginx to unconditionally wait for and process additional client data.

The value *off* tells nginx to never wait for more data and close the connection immediately. This behavior breaks the protocol and may result in interrupting RST packets sent. Thus this configuration value should not be used under normal circumstances.

How long nginx should wait is controlled by both the [echo_lingering_time](#) and [echo_lingering_timeout](#) directives.

[Back to TOC](#)

echo_lingering_time

syntax: *echo_lingering_time* <time>

default: *echo_lingering_time 30s*

context: *stream, server*

When [lingering_close](#) is in effect, this directive specifies the maximum time during which nginx will process (read and ignore) additional data coming from a client. After that, the connection will be closed, even if there will be more data.

[Back to TOC](#)

echo_lingering_timeout

syntax: *echo_lingering_timeout* <time>

default: *echo_lingering_timeout 5s*

context: *stream, server*

When [lingering_close](#) is in effect, this directive specifies the maximum waiting time between successive arrivals of client data. If data is not received during this time, the connection is closed. Otherwise, the data are read and ignored, and nginx starts waiting for more data again. The “wait-read-ignore” cycle is repeated, but no longer than specified by the [lingering_time](#) directive.

[Back to TOC](#)

Caveats

- Unlike the [ngx_http_echo module](#), this module has no NGINX variable support since NGINX variables are not supported in the "stream" subsystem of NGINX (yet).
- The commands of this module cannot be mixed with other response-generating modules like the standard [ngx_stream_proxy module](#) in the same `server {}` block, for obvious reasons.

[Back to TOC](#)

TODO

- Implement the `echo_test_request_data` directive to test existing data read in the "reading buffer" with a literal string specified as the directive argument. This is very useful for mock-up testing.
- Implement the `echo_read_literal` directive for the combination of the command sequence `echo_read_bytes n;` `echo_test_request_data str;` where `n` is the length of the `str` literal string. This could be very useful for mock-up testing.
- Implement the `echo_read_until` directive to allow reading request data until seeing a terminator string literal specified as the directive argument.
- Implement the `echo_read_regex` directive to allow reading request data according to a user-supplied Perl-compatible regular expression (maybe we could use `libsregex` to ensure efficient streaming reading).
- Port over the "postpone_output" feature of the "http" subsystem. This could improve performance by reducing syscalls (and potentially underlying data packets too).

[Back to TOC](#)

Installation

Grab the nginx source code from nginx.org, for example, the version 1.9.3 (see [nginx compatibility](#)), and then build the source with this module:

```
wget 'http://nginx.org/download/nginx-1.9.3.tar.gz'
tar -xzvf nginx-1.9.3.tar.gz
cd nginx-1.9.3/

# Here we assume you would install you nginx under /opt/nginx/.
./configure --prefix=/opt/nginx \
  --with-stream \
  --add-module=/path/to/stream-echo-nginx-module

make -j2
sudo make install
```

[Back to TOC](#)

Compatibility

The following versions of Nginx should work with this module:

- **1.9.x** (last tested: 1.9.7)

NGINX versions older than 1.9.0 will *not* work due to the lack of the "stream" subsystem.

[Back to TOC](#)

Community

[Back to TOC](#)

English Mailing List

The [openresty-en](#) mailing list is for English speakers.

[Back to TOC](#)

Chinese Mailing List

The [openresty](#) mailing list is for Chinese speakers.

[Back to TOC](#)

Report Bugs

Although a lot of effort has been put into testing and code tuning, there must be some serious bugs lurking somewhere in this module. So whenever you are bitten by any quirks, please don't hesitate to

1. create a ticket on the [issue tracking interface](#) provided by GitHub,
2. or send a bug report, questions, or even patches to the [OpenResty Community](#).

[Back to TOC](#)

Source Repository

Available on github at [openresty/stream-echo-nginx-module](#).

[Back to TOC](#)

Author

Yichun "agentzh" Zhang (章亦春) <agentzh@gmail.com>, OpenResty Inc.

This wiki page is also maintained by the author himself, and everybody is encouraged to improve this page as well.

[Back to TOC](#)

Copyright & License

Copyright (c) 2015-2017, Yichun "agentzh" Zhang (章亦春) agentzh@gmail.com, OpenResty Inc.

This module is licensed under the terms of the BSD license.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[Back to TOC](#)

See Also

- [ngx_stream_lua_module](#)
- [ngx_http_echo_module](#)
- [NGINX's stream subsystem](#)
- [OpenResty](#)

[Back to TOC](#)

